

FORD ESCORT Mk 1 & 2 BRAKE EQUIPMENT

Feb-01

ESCORT Mk 1 (aka 'BRENDA')									
VARIANT	Front Brake	Girling Part No.	Ford Part No.	Rear Brake	Girling Part No.	Ford Part No.	Actuation	Girling Part No.	Ford Part No.
1100 (1V) SED FOB 1100 (1V) E/C FOB 1100 (1V) 6cwt VAN FOB	8 x 1¼ HLSS (203.2 x 44.5) Ø0.812 Wcyl M79 x 110°	67019024/5 NU AA3666	75AB2010/11CA	8 x 1½ HASC3 (203.2 x 38.1) Ø0.75 Wcyl M79 x 90° 62mm Spigot	67019026/7	75AB2210/09LA	Dual-Circuit Ø17.78 (Export)	74066007	75AB2140BA
1100 (1V) SED FOG 1100 (1V) E/C FOG				8 x 1½ HASC3 (203.2 x 38.1) Ø0.75 Wcyl M79 x 90° 67mm Spigot	67019028/9JO	75AB2210/09MB	Dual-Circuit Ø17.46	Teves	*****
1100 (2V) SED FOB 1300 (1V) SED FOB 1300 (1V) E/C FOB 1300 (1V) 6cwt VAN	M16 CALIPER DON227	64034024/5 QW	73BB2010/11CA	8 x 1½ HASC3 (203.2 x 38.1) Ø20.64 Wcyl M79 x 90° 62mm Spigot	64037291/2NU	75AB21210/09FA	Dual-Circuit Ø19.05	74066005	75AB2140DB
1100 (2V) SED FOG 1300 (1V) SED FOG 1300 (1V) E/C FOG	BENDIX 54mm	*****	*****	8 x 1½ HASC3 (203.2 x 38.1) Ø20.64 Wcyl M79 x 90° 67mm Spigot	67019006/7NU	75AB2210/09GA	Dual-Circuit Ø19.05	Teves	*****
1300 (2V) SED FOB 1600 (2V) SED FOB	M16 CALIPER MINTEX V1431	64034080/1 UJ	73BB2010/11HA	9 x 1¼ HASC3 (228.6 x 44.5) Ø17.78 Wcyl DON 242 x 90° 62mm Spigot	64037040/1LK	75AB2210/09CA	Dual-Circuit Ø19.05 (Export + Type 28 Booster)	74049007 (74066002 + 64049785)	75AB2B195GA
1300 (2V) SED FOB 1600 (2V) SED FOB	BENDIX 54mm	*****	*****	9 x 1¼ HASC3 (228.6 x 44.5) Ø17.78 Wcyl DON 242 x 90° 62mm Spigot	64037301/2LK	75AB2210/09DA	Dual-Circuit Ø19.05 with Booster	Teves	*****
1300 (1V) 9cwt. VAN FOB	M16 CALIPER DON 227	64034024/5 QW	73BB2010/11CA	9 x 1¼ HASC3 (228.6 x 44.5) Ø20.64 Wcyl DON 242 x 90° 62mm Spigot	67019010/11 LK	75AB2210/09HA	Dual-Circuit Ø19.05	74066005	75AB2140DB

R.P.O. AVAILABLE 1) 1400 (1V) DISC/DRUM SPEC. ON DRUM/DRUM VARIANTS. (RPO = REPLACEMENT PART OPTION)

2) 1600 (2V) BOOSTER/MASTER CYL SPEC. ON UNBOOSTED VARIANTS.

GHIA VEHICLES BUILT IN GERMANY FITTED WITH FOB EQUIPMENT FOR UK MARKET.

G' VALVE FITTED FOR SCANDINAVIA.

SED = SEDAN, E/C = ESTATE CAR

ESCORT Mk 1 (aka 'BRENDA') 1st SEPTEMBER 1975

VARIANT	Front Brake	Girling Part No.	Ford Part No.	Rear Brake	Girling Part No.	Ford Part No.	Actuation	Girling Part No.	Ford Part No.
1100 (1V) SED FOB 1100 (1V) 6cwt VAN FOB	8 x 1¼ HLSS (203.2 x 44.5) Ø0.812 Wcyl M79 x 110°	67019024/5 NU AA3666	75AB2010/11CA	8 x 1½ HASC3 (203.2 x 38.1) Ø0.75 Wcyl M79 x 90° 62mm Spigot	67019026/7 NJ	75AB2210/09LA	Dual-Circuit Ø17.78 (Export)	74066007	75AB2140BB
1100 (1V) SED FOG 1100 (1V) E/C FOG				8 x 1½ HASC3 (203.2 x 38.1) Ø0.75 Wcyl M79 x 90° 67mm Spigot	67019028/9JO	75AB2210/09MB	Dual-Circuit Ø17.46	Teves	*****
1100 (1V) SED FOB	8 x 1¼ HLSS (203.2 x 44.5) Ø22.2 Wcyl M79 x 110°	67019036/7 NU	75AB2010/11EA	8 x 1½ HASC3 (203.2 x 38.1) Ø20.64 Wcyl M79 x 90° 62mm Spigot	64037291/2NU	75AB21210/09FA	Dual-Circuit Ø19.05	74066005	75AB2140DB
1100 (2V) SED FOB 1300 (1V) SED FOB 1300 (1V) E/C FOB 1300 (1V) 6cwt VAN FOB	M16 CALIPER DON227	64034024/5 QW	73BB2010/11CA	8 x 1½ HASC3 (203.2 x 38.1) Ø20.64 Wcyl M79 x 90° 67mm Spigot	67019006/7NU	75AB2210/09GA	Dual-Circuit Ø19.05	Teves	*****
1100 (2V) SED FOG 1300 (1V) SED FOG 1300 (1V) E/C FOG	BENDIX 54mm	*****	*****	8 x 1½ HASC3 (203.2 x 38.1) Ø20.64 Wcyl M79 x 90° 67mm Spigot	67019006/7NU	75AB2210/09GA	Dual-Circuit Ø19.05	Teves	*****
1300 (2V) SED FOB 1600 (2V) SED FOB	M16 CALIPER MINTEX V1431	64034080/1 UJ	73BB2010/11HA	9 x 1¼ HASC3 (228.6 x 44.5) Ø17.78 Wcyl DON 242 x 90° 62mm Spigot	64037040/1LK	75AB2210/09CA	Dual-Circuit Ø19.05 (Export + Type 28 Booster)	74049007 (74066002 + 64049785)	75AB2B195GA
1600 (2V) SED FOG				9 x 1¼ HASC3 (228.6 x 44.5) Ø17.78 Wcyl DON 242 x 90° 67mm Spigot	64037301/2LK	75AB2210/09DA	Dual-Circuit Ø19.05 with Booster	Teves	*****
1300 (2V) SED FOG	BENDIX 54mm	*****	*****	9 x 1¼ HASC3 (228.6 x 44.5) Ø17.78 Wcyl DON 242 x 90° 67mm Spigot	67019010/11 LK	75AB2210/09HA	Dual-Circuit Ø19.05	74066077	75AB2140DC
1300 (1V) 9cwt. VAN FOB	M16 CALIPER DON 227	64034024/5 QW	73BB2010/11CA	9 x 1¼ HASC3 (228.6 x 44.5) Ø20.64 Wcyl DON 242 x 90° 62mm Spigot	67019010/11 LK	75AB2210/09HA	Dual-Circuit Ø19.05	74066077	75AB2140DC

R.P.O. AVAILABLE 1) 1400 (1V) DISC/DRUM SPEC. ON DRUM/DRUM VARIANTS.

2) 1600 (2V) BOOSTER/MASTER CYL SPEC. ON UNBOOSTED VARIANTS.

GHIA VEHICLES BUILT IN GERMANY FITTED WITH FOB EQUIPMENT FOR UK MARKET.

G' VALVE FITTED FOR SCANDINAVIA.

RPO AVAILABLE: BOOSTER/TVCV ASSY 74049047 (75AB2B195HA) = MCYL 64066602 Ø0.812 + 64049785 TYPE 28.

PDWA :- 5 PORT FOB BUILD

" 4 PORT FOG BUILD

ESCORT Mk 2 - 2nd February 1976 (AT IMPLEMENTATION)

VARIANT	Front Brake	Girling Part No.	Ford Part No.	Rear Brake	Girling Part No.	Ford Part No.	Actuation	Girling Part No.	Ford Part No.
1100 (1V) SED FOB 1100 (1V) E/C FOB 1100 (1V) 6cwt VAN FOB	8 x 1 3/4 HLSS (203.2 x 44.5) Ø22.2 Wcyl M79/1 x 110°	67019036/7 NU AA3666	75AB2010/11EB	8 x 1 1/2 HASC3 (203.2 x 38.1) Ø0.75 Wcyl M79/1 x 90° 62mm Spigot	67019026/7 JO	75AB2210/09LA	Ø19.05 TV/CV	74066077	75AB2140DC
1100 (1V) SED FOG 1100 (1V) E/C FOG				8 x 1 1/2 HASC3 (203.2 x 38.1) Ø20.64 Wcyl M79/1 x 90° 67mm Spigot	67019006/7JO	75AB2210/09GB	Ø19.05 AS/AS	Teves	*****
1100 (2V) SED FOB 1300 (1V) SED FOB 1300 (1V) E/C FOB 1300 (1V) 6cwt VAN FOB 1600 (1V) SED FOB 1600 (1V) E/C FOB	M16 CALIPER DON 227 WOLVERINE SHIM	64034024/5 QW - FROM 7th JUNE: 67032062/3 QW	73AB2010/11CA	8 x 1 1/2 HASC3 (203.2 x 38.1) Ø0.75 Wcyl M79/1 x 90° 62mm Spigot	64037291/2JO	75AB2210/09AA	Ø19.05 TV/CV	74066077	75AB2140DC
			76BB2010/11AA						
1100 (2V) SED FOG 1300 (1V) SED FOG 1300 (1V) E/C FOG	BENDIX 54mm DON 227	*****	*****	8 x 1 1/2 HASC3 (203.2 x 38.1) Ø0.75 Wcyl M79/1 x 90° 62mm Spigot	67019006/7JO	75AB2210/09GB	Ø19.05 AS/AS	Teves	*****
1300 (2V) SED FOB	M16 CALIPER MINTEX V1431 Wolverine Shim	64034080/1 UJ From 7th June 67032060/1 UJ	73BB2010/11HA	8 x 1 1/2 HASC3 (203.2 x 38.1) Ø19.05 Wcyl M79/1 x 90° 62mm Spigot	67019026/7JO	75AB2210/09LB	TYPE 28 + Ø19.05 TV/CV (74066083 & 64049785)	74049052	75AB2B195GB
1600 (2V) SED FOB			76EB2010/11CA						
1600 (2V) SED FOG									
1300 (2V) SED FOG	BENDIX 54mm Textar 1431	*****	*****	8 x 1 1/2 HASC3 (203.2 x 38.1) Ø19.05 Wcyl M79/1 x 90° 67mm Spigot	67019028/9JO	75AB2210/9MB	TEVES TYPE 28 & OVERHUNG Ø19.05 AS/AS	*****	*****
1300 (1V) 9cwt. VAN FOB	M16 CALIPER DON 227 (Wolverine Shim)	64034024/5 QW - FROM 7th JUNE: 67032062/3 QW	73BB2010/11CA	9 x 1 3/4 HASC3 (228.6 x 44.5) Ø20.64 Wcyl DON 242 x 90° 62mm Spigot	67019010/11 LK	75AB2210/09HA	Dual-Circuit Ø19.05	74066077	75AB2140DC

R.P.O. AVAILABLE 1) 1300 (1V) DISC/DRUM SPEC. ON DRUM/DRUM VARIANTS.

2) 1600 (2V) BOOSTER/MASTER CYL SPEC. ON UNBOOSTED VARIANTS.

3) TYPE 28 / Ø20.64 74049076 (75AB2B195HA) (MCYL 74066082) ON DRUM/DRUM VARIANTS

GHIA VEHICLES BUILT IN GERMANY FITTED WITH FOB EQUIPMENT FOR UK MARKET.

G' VALVE FITTED FOR SCANDINAVIA.

ESCORT Mk 2 - Model Year '78

VARIANT	Front Brake	Girling Part No.	Ford Part No.	Rear Brake	Girling Part No.	Ford Part No.	Actuation	Girling Part No.	Ford Part No.
1100 (1V) SED FOB 940 (2V) SED & E/C FOE 1100 (1V) E/C FOB 1100 (1V) L/C6cwt VAN FOB	8 x 1 3/4 HLSS (203.2 x 44.5) Ø22.2 Wcyl M79/1 x 110°	67019063/2 JO	75AB2010/11FA	8 x 1 1/2 HASC3 (203.2 x 38.1) Ø20.64 Wcyl M79/1 x 90° 62mm Spigot	64037191/2 JO	75AB2210/09AA	Ø19.05 AS/AS RPO Ø20.64 AS/AS + BOOSTER	74066077	75AB2140DC
							RHD DUPLEX ASSY BOOSTER MCYL	74049099 74049043 74066026	77AB2B195DA
							LHD DUPLEX ASSY BOOSTER MCYL	74049106 74049043 74066138	77AB2B195CA
1100 (1V) SED FOG 1100 (1V) E/C FOG		67019050/1 JO	75AB2010/11AA	8 x 1 1/2 HASC3 (203.2 x 38.1) Ø20.64 Wcyl M79/1 x 90° 67mm Spigot	67019006/7 JO	75AB2210/09GB	Ø19.05 AS/AS	Teves	*****
1100 (2V) SED FOB 1300 (1V) SED FOB 1300 (1V) E/C FOB 1300 (1V) 6cwt VAN FOB 1600 (1V) SED FOB 1600 (1V) E/C FOB	M16 CALIPER DON 227	67032078/9 QW ('M' SPRINGS)	77BB2010/11AA	8 x 1 1/2 HASC3 (203.2 x 38.1) Ø20.64 Wcyl M79/1 x 90° 62mm Spigot	64037291/2 JO	75EB2210/09AA	Ø19.05 AS/AS RPO Ø19.05 MCYL + BOOSTER	74066035 74049098	77AB2140AA 77AB2B195BA
							BOOSTER MCYL	74049043 74066137	
1100 (2V) SED FOG 1300 (1V) SED FOG 1300 (1V) E/C FOG 1300 1V 6cwt VAN	BENDIX 54mm DON 227	BENDIX	*****	8 x 1 1/2 HASC3 (203.2 x 38.1) Ø0.75 Wcyl M79/1 x 90° 67mm Spigot	67019006/7 JO	75AB2210/09GB	Ø19.05 AS/AS	Teves	*****
1300 (2V) SED FOB	M16 CALIPER MINTEX V1431	67032070/1 UJ	76GB2010/11GA	8 x 1 1/2 HASC3 (203.2 x 38.1) Ø19.05 Wcyl M79/1 x 90° 62mm Spigot	67019026/7 JO	75AB2210/09LB	Ø19.05 AS/AS + 150 SD BOOSTER		77AB2B195BA
							RHD DUPLEX ASSY BOOSTER MCYL	74049098 74049043 74066019	
1600 (2V) SED FOB				9 x 1 3/4 HASC3 (228.6 x 44.5) Ø17.78 Wcyl DON 242 x 90° 62mm Spigot	67037040/1 LK	75AB2210/9CA	LHD DUPLEX ASSY BOOSTER MCYL	74049105 74049043 74066137	
1600 (2V) SED FOG									
1300 (2V) SED FOG	BENDIX 54mm Textar 1431	BENDIX	*****	8 x 1 1/2 HASC3 (203.2 x 38.1) Ø19.05 Wcyl M79/1 x 90° 67mm Spigot	67019028/9 JO	75AB2210/9MB	TEVES TYPE 28 & OVERHUNG AS/AS	TEVES	*****
1300 (1V) 9cwt. VAN FOB	M16 CALIPER DON 227	67032078/9 QW ('M' Springs)	77BB2010/11AA	9 x 1 3/4 HASC3 (228.6 x 44.5) Ø20.64 Wcyl DON 242 x 90° 62mm Spigot	67019010/11 LK	75AB2210/09HA	Dual-Circuit Ø19.05	74066035	77AB2140AA
RS 1800 RS 2000 MEXICO	M16 CALIPER FERODO 2445	TEVES		9 x 1 3/4 HASC3 (228.6 x 44.5) Ø19.05 Wcyl DON 242 x 90° 62mm Spigot	67019032/3 LK	H75AB2210/09 HA	Ø20.64 TV/CV + Ø178 BOOSTER BOOSTER MCYL	74049051 64049768 74066082	74EB2B195DB

1300 (1V) SEDAN DISC/DRUM RPO ON DRUM/DRUM (EXCEPT 1100[S] FOB)

ALL VARIANTS SOLD NORWAY/SWEDEN/HOLLAND/DENMARK & FRANCE HAVE DISC BRAKES.

ALL VARIANTS SOLD SWITZERLAND/GERMANY & AUSTRIA HAVE DISCS & BOOSTER.

NO VANS OR 1100 SED/WAGONS IN SWEDEN.

ALL VARIANTS SOLD IN DENMARK & FINLAND HAVE 'G' VALVE.

940 (2V) SED & E/C ONLY SOLD IN ITALY & FRANCE.

1600 (1V) SED & E/C (LOW COMP.) SOLD IN SWEDEN ONLY.

ESCORT Mk 2 - Model Year '79: END OF PROD'N STATUS.

VARIANT	Front Brake	Girling Part No.	Ford Part No.	Rear Brake	Girling Part No.	Ford Part No.	Actuation	Girling Part No.	Ford Part No.
1100 (1V) SED FOB 940 (2V) SED & E/C FOE 1100 (1V) E/C FOB 1100(1V) L/C 6cwt VAN FOB 1100 (S) SED FOB	8 x 1¼ HLSS (203.2 x 44.5) Ø22.2 Wcyl M79/1 x 110°	67019063/2 JO	75AB2010/11FA	8 x 1½ HASC3 (203.2 x 38.1) Ø20.64 Wcyl M79/1 x 90° 62mm Spigot	67019096/7 JO	75EB2210/09AB	Ø19.05 AS/AS RPO Ø20.64 AS/AS + BOOSTER	74066194	78AB2140DA
							RHD DUPLEX ASSY BOOSTER MCYL	74049182 74049043 74066195	78AB2B195GA
							LHD DUPLEX ASSY BOOSTER MCYL	74049184 74049043	78AB2B195HA
1100 (1V) SED FOG 1100 (1V) E/C FOG		67019050/1 JO	75AB2010/11EB	8 x 1½ HASC3 (203.2 x 38.1) Ø20.64 Wcyl M79/1 x 90° 67mm Spigot	67019098/9 JO	75AB2210/09	Ø19.05 AS/AS	Teves	*****
1100 (2V) SED FOB 1300 (1V) SED FOB 1300 (1V) E/C FOB 1300 (1V) 6cwt VAN FOB 1600 (1V) SED FOB 1600 (1V) E/C FOB	M16 CALIPER DON 227	67032078/9 QW ('M' SPRINGS)	77BB2010/11AA	8 x 1½ HASC3 (203.2 x 38.1) Ø20.64 Wcyl M79/1 x 90° 62mm Spigot	67019096/7 JO	75EB2210/09AB	Ø19.05 AS/AS RPO Ø19.05 MCYL + BOOSTER	74066194 74049183	78AB2140DA 78AB2B195FA
							BOOSTER MCYL	74049043 74066196	
1100 (2V) SED FOG 1300 (1V) SED FOG 1300 (1V) E/C FOG	BENDIX 54mm DON 227	BENDIX	*****	8 x 1½ HASC3 (203.2 x 38.1) Ø0.75 Wcyl M79/1 x 90° 67mm Spigot	67019098/9 JO	75AB2210/09GC	Ø19.05 AS/AS	Teves	*****
1300 (2V) SED FOB	M16 CALIPER MINTEX V1431	67032070/1 UJ	76GB2010/11GA	8 x 1½ HASC3 (203.2 x 38.1) Ø19.05 Wcyl M79/1 x 90° 62mm Spigot	67019100/1 JO	75AB2210/09LC	Ø19.05 AS/AS + 150 SD BOOSTER		78AB2B195FA
1600 (2V) SED FOB							RHD DUPLEX ASSY BOOSTER MCYL	74049183 74049043 74066196	
1600 (2V) SED FOG				9 x 1¼ HASC3 (228.6 x 44.5) Ø17.78 Wcyl DON 242 x 90° 62mm Spigot	67019106/7 LK	75AB2210/9CB	LHD DUPLEX ASSY BOOSTER MCYL	74049190 74049043	78AB2B195EA
1300 (2V) SED FOG	BENDIX 54mm Textar 1431	BENDIX	*****	8 x 1½ HASC3 (203.2 x 38.1) Ø19.05 Wcyl M79/1 x 90° 67mm Spigot	67019102/3 JO	75AB2210/9MC	TEVES TYPE 28 & OVERHUNG AS/AS	TEVES	*****
1300 (1V) 9cwt. VAN FOB	M16 CALIPER DON 227	67032078/9 QW ('M' Springs)	77BB2010/11AA	9 x 1¼ HASC3 (228.6 x 44.5) Ø20.64 Wcyl DON 242 x 90° 62mm Spigot	67019112/3 LK	75AB2210/09HB	Dual-Circuit Ø19.05 Ø19.05 MCYL + BOOSTER OPTIONAL	74066194	78AB2140DA
RS 1800 RS 2000 MEXICO	M16 CALIPER FERODO 2445	TEVES		9 x 1¼ HASC3 (228.6 x 44.5) Ø19.05 Wcyl DON 242 x 90° 62mm Spigot	67019104/5 LK	75AB2210/09 NA	Ø20.64 TV/CV + Ø178 BOOSTER BOOSTER MCYL	TEVES	

1300 (1V) SEDAN DISC/DRUM RPO ON ALL DRUM/DRUM (EXCEPT 1100[S] FOB)

ALL VARIANTS SOLD NORWAY/SWEDEN/HOLLAND/DENMARK & FRANCE HAVE DISC BRAKES.

ALL VARIANTS SOLD SWITZERLAND/GERMANY & AUSTRIA HAVE DISCS & BOOSTER.

NO VANS OR 1100 SED/WAGONS IN SWEDEN.

ALL VARIANTS SOLD IN DENMARK & FINLAND HAVE 'G' VALVE.

940 (2V) SED & E/C ONLY SOLD IN ITALY & FRANCE.

1600 (1V) SED & E/C (LOW COMP.) SOLD IN SWEDEN ONLY.